

# WEST Search History

DATE: Wednesday, May 14, 2003

Set Name Query  
side by side

Hit Count Set Name  
result set

*DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR*

L8	(interposer with (resilient or spring)).clm.	121	L8
L7	L6 and ((spring or resilient) with (interposer or carrier)) and (board or substrate or fixture)	56	L7
L6	((spring or resilient) with contact\$1 with (both or second or (lower and upper) or (top and bottom)) with side\$1) and semiconductor	390	L6
L5	((interposer or carrier) with (resilient or spring)) and test\$3 and semiconductor and fixture	168	L5
L4	((interposer or carrier) with spring) and test\$3 and semiconductor and fixture	146	L4
L3	(interposer with spring) and test\$3 and semiconductor and fixture	31	L3
L2	L1 and interposer	133	L2
L1	(spring with contact\$1) and (semiconductor adj (substrate or wafer))	1737	L1

END OF SEARCH HISTORY

**WEST**[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Terms	Documents
L6 and ((spring or resilient) with (interposer or carrier)) and (board or substrate or fixture)	56

Database:

US Patents Full-Text Database  
 US Pre-Grant Publication Full-Text Database  
 JPO Abstracts Database  
 EPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L7

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History**

DATE: Wednesday, May 14, 2003   [Printable Copy](#)   [Create Case](#)

**Set Name   Query**

side by side

**Hit Count   Set Name**

result set

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L7</u>	L6 and ((spring or resilient) with (interposer or carrier)) and (board or substrate or fixture)	56	<u>L7</u>
<u>L6</u>	((spring or resilient) with contact\$1 with (both or second or (lower and upper) or (top and bottom)) with side\$1) and semiconductor	390	<u>L6</u>
<u>L5</u>	((interposer or carrier) with (resilient or spring)) and test\$3 and semiconductor and fixture	168	<u>L5</u>
<u>L4</u>	((interposer or carrier) with spring) and test\$3 and semiconductor and fixture	146	<u>L4</u>
<u>L3</u>	(interposer with spring) and test\$3 and semiconductor and fixture	31	<u>L3</u>
<u>L2</u>	L1 and interposer	133	<u>L2</u>
<u>L1</u>	(spring with contact\$1) and (semiconductor adj (substrate or wafer))	1737	<u>L1</u>

END OF SEARCH HISTORY